FOOD & ENVIRONMENT SAFETY ANALYTICAL LAB

Date Issued: 8/27/26

Certificate of Analysis

Analysis Summary	Percent (%)	mg/serving
Mitragynine	20.973	110.341
7-OH Mitragynine	ND	ND
Paynantheine	0.844	4.438
Speciogynine	0.505	2.655
Speciociliatine	ND	ND
Corynantheidine	ND	ND
Mitraphylline	ND	ND
9-O-desmethyl Mitragynine	ND	ND
Corynoxine B	ND	ND
Ajmalicine	ND	ND
Isomitraphylline	ND	ND
Mitraciliatine	ND	ND
Mitragynine pseudoindoxyl	ND	ND
MGM-15	ND	ND
Total Quantified Alkaloids	22.321	117.433

Analysis Overview

Residual Solvents & Processing Chemicals	Pass

Matrix:
Other

Unit Mass:
0.5261 g per unit

Date Received:
8/27/26

Approved By:
Marie True, M.S.
Laboratory Manager

This certificate of analysis is responsible for the tested sample only and is for research use only. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of FESA Labs. FESA Labs shall not be liable for any damage that may result from the data contained herein in any way. FESA Labs makes no claim to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. If there are any questions with this report please email info@fesalabs.com. This certificate of analysis is intended only for the use of the party to whom it is addressed and may contain information that is confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately contact us.

References: limit of quantitation (LOQ), not detected (ND), not tested (NT)

FOOD & ENVIRONMENT SAFETY ANALYTICAL LAB

Date Issued: 8/27/26

Certificate of Analysis

Kratom Alkaloid Analysis

Complete

Analyte	LOD (%)	LOQ (%)	Percent (%)	mg/serving
Mitragynine	**0.016**	**0.049**	**20.973**	**110.34**
7-OH Mitragynine	0.019	0.058	ND	ND
Paynantheine	**0.022**	**0.066**	**0.844**	**4.44**
Speciogynine	**0.019**	**0.056**	**0.505**	**2.65**
Speciociliatine	0.018	0.054	ND	ND
Corynantheidine	0.024	0.073	ND	ND
Mitraphylline	0.017	0.052	ND	ND
9-O-desmethyl Mitragynine	0.017	0.050	ND	ND
Corynoxine B	0.022	0.066	ND	ND
Ajmalicine	0.024	0.071	ND	ND
Isomitraphylline	0.019	0.057	ND	ND
Mitraciliatine	0.020	0.060	ND	ND
Mitragynine pseudoindoxyl	0.033	0.098	ND	ND
MGM-15	0.011	0.03	ND	ND
Total Quantified Alkaloids			**22.321**	**117.43**

Residual Solvents Analysis

Pass

Analyte	LOQ (µg/g)	Limit (mg/g)	Mass (mg/g)	Status
Acetone	0.490	5.00	ND	Pass
Acetonitrile	0.460	0.41	ND	Pass
Benzene	0.590	0.00	ND	Pass
Butane	0.560	N/A	ND	N/A
Chloroform	0.510	0.06	ND	Pass
1,2-Dichloroethane	0.570	0.01	ND	Pass
Ethanol	0.470	5.00	ND	Pass
Ethyl Acetate	0.520	5.00	ND	Pass
Ethyl Ether	0.480	5.00	ND	Pass
Ethylene Oxide	0.460	0.01	ND	Pass
Heptane	0.520	5.00	ND	Pass
n-Hexane	0.540	0.29	ND	Pass
Isopropanol	0.580	5.00	ND	Pass
Methanol	0.460	3.00	ND	Pass
Methylene Chloride	0.560	0.60	ND	Pass
Pentane	0.520	5.00	ND	Pass
Propane	0.510	N/A	ND	N/A
Toluene	0.480	0.89	ND	Pass
Trichloroethylene	0.520	0.08	ND	Pass
Xylenes	0.580	2.17	ND	Pass

Method References:

HPLC SOP K5316L - Diode Array Detector, Liquid Chromatography.

HSGCMS02 - Headspace Gas Chromatography with Mass Spectrometric Detection for Residual Solvents Panel